


Hardware & Accessories for
**uPVC & Aluminium Doors,
Windows & Curtain Walls**

www.mccoy8m.in | 8010-434-434



**3D Hinge for PVC-U Casement Doors –
McCoy DH-1 Eco**

3D Hinge for PVC-U Casement Doors – McCoy DH-1 Eco

Highlights:

- 3D hinge for Casement Doors with square shaped Zinc alloy body and SS Axle.
- Load carrying capacity of 80 kg. per 3 Hinges.
- The Coating Thickness is 250 µm.
- Hinge can be adjusted Horizontally as well as Vertically.
- The difference of depths of surface between Sash and Frame is 18mm.
- Additional Frame packers are available for depth difference compensation between Frame and Sash of thicknesses 1mm. totally 2 nos.
- Fixing Screws 6 nos. of size M5x50mm. long are also part of the standard supply.
- 24x7 Technical Support.
- Guaranteed for 10 years.
- Packing size is 30 nos. per box.



Remark: The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsibility for the results obtained. In every case it is recommended to carry out preliminary experiments.

McCoy Silicones Limited

(Facade & Fenestration Division)

C-55, Okhla Industrial Area, Phase-1, New Delhi-110020

Tel: +91-11-40623344 | Fax: +91-11-40623355

info@mccoy8m.in | 8010-434-434
mccoygroup.in | mccoy8m.in

Certification




McCoy Soudal is proud to be associated with:



A McCoy Group Company

Feature	Advantage	Benefit
Zinc alloy body with 250µm of Coating thickness and SS Axis Spindle.	Very good resistance to corrosion.	Long service life even under adverse environmental conditions.
Sash to Frame surface depth difference adjustment of up to 1mm.	Suitable for use with a wide range of profiles.	Universality of usage.

Technical Details



Remark: The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsibility for the results obtained. In every case it is recommended to carry out preliminary experiments.

McCoy Silicones Limited

(Facade & Fenestration Division)

C-55, Okhla Industrial Area, Phase-I, New Delhi-110020

Tel: +91-11-40623344 | Fax: +91-11-40623355

info@mccoy8m.in | 8010-434-434
mccoygroup.in | mccoy8m.in

Certification



McCoy Soudal is proud to be associated with:



M
A **McCoy Group Company**

WELCOME TO THE WORLD OF TECHNOLOGY

MCCOY PARTNER SELF SERVICE (PSS) APP



- ✓ Quick order
- ✓ Check order status
- ✓ Check account
- ✓ Loyalty rewards
- ✓ Product videos etc..

Download Now



Products available online on
mccoymart.com

www.mccoy8m.in ☎ +91-8010434434

Remark: The directives contained in this documentation are the result of our experiments and of our experience and have been submitted in good faith. Because of the diversity of the materials and substrates and the great number of possible applications which are out of our control, we cannot accept any responsibility for the results obtained. In every case it is recommended to carry out preliminary experiments.

McCoy Silicones Limited

(Facade & Fenestration Division)

C-55, Okhla Industrial Area, Phase-1, New Delhi-110020

Tel: +91-11-40623344 | Fax: +91-11-40623355

info@mccoy8m.in | 8010-434-434
mccoygroup.in | mccoy8m.in

Certification



McCoy Soudal is proud to be associated with:



A McCoy Group Company